In The Claims:

Please amend the claims as follows:

1. (Currently Amended) <u>An activator Activators</u>-for α4β2 nicotinic acetylcholine receptors containing, as active ingredient, a heterocyclic compound compounds represented by the following formula (I):

wherein:

A is eptionally substituted aryl-group; or optionally substituted heterocyclic group a phenyl group which is optionally substituted one or more times by C₁-C₄ alkyl group, halogen atom, nitro group or cyano group; or a heterocyclic group selected from the group consisting of thiophene, furan, pyran, pyrrole, pyrazole, pyridine, pyrimidine, pyrazine, pyridazine, imidazole, oxazole, isoxazole, thiazole, isothiazole, quinoline, isoquinoline, azaindole and tetrahydropyrimidine group, which is optionally substituted one or more times by C₁-C₄ alkyl group, or halogen atom;

X is exygen atom; sulfur atom; carbon atom; or nitrogen atom; the dotted line shows either the presence or absence of a bond; n is integer of 1 or 2; and

Y is,

(1) in the case of X is exygen atom, group Y X is CH2 CH2 O or CH2-CH2-CH2-O+ (2) in the case of X is sulfur atom, group Y-X is CH(R1) CH2 S, C(R2)-C(R3)-S-or CH2-CH2-CH2-S (in which, R1, R2 and R3 are hydrogen atom; C1-C4 alkyl group; or optionally substituted phenyl group); (3) in the case of X is earbon atom, group YX is CH2 CH2 CH2 ,-CH-C(R4)-C(R5)-C(R6), CH2-CH3-CH3-CH3-CH3-Or-N-C(R7)-CH-CH-(in which, R4, R5, R6 and R7 are hydrogen atom; C1 C4-alkyl group; optionally substituted phenyl-group; halogen atom; or nitro-group); and, (4) in the case of X is nitrogen atom, the group -Y-X- is CH2-CH2-NH, CH2 CH2 CH2 NH-, -CH=C(R3)-N= or -CH=C(R9)-CH=N- (in which, R8 and R9 are hydrogen atom; or eptionally substituted phenyl group which is optionally substituted one or more times by C1-C4 alkyl group, halogen atom, nitro group, or cvano group); or pharmaceutically acceptable salts thereof-as active ingredient.

2. (Currently Amended) The activators A composition comprising an activator for α4β2 nicotinic acetylcholine receptors according to claim 1, wherein said activator is an agonist or modulator activators are agonists or modulators at α4β2 nicotinic acetylcholine receptors.

- 3. (Currently Amended) A therapeutic agent for preventing or treating cerebral circulation diseases comprising an effective amount of the activator for $\alpha 4\beta 2$ nicotinic acetylcholine receptors claimed in claim 1 or 2.
- 4. (Currently Amended) A therapeutic agent for preventing or treating neurodegenerative disease, dementia, motor ataxia, and neuropathy and mental disease comprising an effective amount of the activator for α4β2 nicotinic acetylcholine receptors claimed in claim 1 or 2.
- 5. (Original) The therapeutic agent according to claim 4, wherein said neurodegenerative disease is Alzheimer's disease or Parkinson's disease, said dementia is cerebrovascular dementia, said motor ataxia is Tourette's syndrome, and said neuropathy and mental disease is neurosis during chronic cerebral infarction stage, anxiety or schizophrenia.
- 6. (Currently Amended) A medicament for improving the cerebral metabolism, neurotransmission functional disorder and memory disorder, for protecting brain, or having analgesic effect, which comprises an effective amount of the activator for α4β2 nicotinic acetylcholine receptors claimed in claim 1 or 2.

- 7. (Currently Amended) A medicament for preventing or treating inflammatory intestinal diseases comprising an effective amount of the activator for α4β2 nicotinic acetylcholine receptors claimed in claim 1 or 2.
- 8. (Currently Amended) A method of activating α4β2 nicotinic acetylcholine receptors comprising administering an effective amount of α4β2 nicotinic acetylcholine activating effective amount of a compound as claimed in claim 1 or pharmaceutically acceptable salts thereof.

9. (Cancelled)

- 10. (Currently Amended) An activator Activators for α4β2 nicotinic acetylcholine receptors containing one or more compounds compound claimed in claim 9 claim 18 or pharmaceutically acceptable salts thereof as active ingredient.
- 11. (Currently Amended) The activators A composition comprising an activator for α4β2 nicotinic acetylcholine receptors according to claim 10, wherein said activator is an agonist or modulator-activators are agonists or modulators at α4β2 nicotinic acetylcholine receptors.

- 12. (Currently Amended) A composition therapeutic agent for preventing or treating cerebral circulation diseases comprising an effective amount of the activator for α4β2 nicotinic acetylcholine receptors claimed in claim 10 or 11.
- 13. (Currently Amended) A composition therapeutic agent for preventing or treating neurodegenerative disease, dementia, motor ataxia, and neuropathy and mental disease comprising an effective amount of the activator for α4β2 nicotinic acetylcholine receptors claimed in claim 10 or 11.
- 14. (Currently Amended) The composition therapeutic agent according to claim 13, wherein said neurodegenerative disease is Alzheimer's disease or Parkinson's disease, said dementia is cerebrovascular dementia, said motor ataxia is Tourette's syndrome, and said neuropathy and mental disease is neurosis during chronic cerebral infarction stage, anxiety or schizophrenia.
- 15. (Currently Amended) A medicament for improving the cerebral metabolism, neurotransmission functional disorder and memory disorder, for protecting the brain, or having analgesic effect, which comprises comprising an effective amount of the activator for α4β2 nicotinic acetylcholine receptors claimed in claim 10 or 11.

- 16. (Currently Amended) A medicament for preventing or treating inflammatory intestinal diseases comprising an effective amount of the activator for α4β2 nicotinic acetylcholine receptors claimed in claim 10 or 11.
 - 17. (Currently Amended) A method of activating α4β2 nicotinic acetylcholine receptors comprising administering an effective amount of α4β2 nicotinic acetylcholine activating effective amount of a compound as claimed in claim 18 claim 9 or pharmaceutically acceptable salts thereof.
 - 18. (New) A compound selected from the group consisting of:
 - 1-(6-chloro-3-pyridyl) methyl-2-imino-5-phenyl-1,2-dihydropyrimidine;
 - 2-amino-1-(2-chloro-5-thiazolyl) methylimidazole;
 - 2-amino-1-(6-chloro-3-pyridyl)methyl-4, 5-dimethylimidazole;
 - 2-amino-1-(5-pyrimidyl)methylmidazole;
 - 2-amino-1-(6-chloro-3-pyridyl)methyl-4-methylimidazole;
 - 2-amino-1-(5,6 -dichloro-3-pyridyl)methylimidazole;
 - 2-amino-1-(3-pyridyl)methylimidazole;
 - 2-amino-1-(6-methyl-3-pyridyl)methylimidazole;
 - 2-amino-1-(4-chlorobenzyl)imidazole; and
 - 2-amino-1-(7-aza-3-indolyl)methylimidazole;
 - or a pharmaceutically acceptable salt thereof.